شفارخة.

The 2nd International Neurotrauma Congress & the 4th International Roads Safety Congress

Shefa Neuroscience Research Center, Tehran, Iran, 18-20 February, 2015

The Neuroscience Journal of Shefaye Khatam

Volume 2, No. 4, Suppl. 3

Poster Presentation

Salutary Effects of Progesterone for Traumatic Brain Injury

Zahra Soltani¹, Behshad Mofid², Nader Shahrokhi³, Mohammad Khaksari^{4*}, Saeed Karamouzian², Nouzar Nakhaeei⁵, Mehdi Ahmadinejad⁶

¹Physiology Research Center, Institute of Neuropharmacology, Kerman University of Medical Sciences, Kerman, Iran. ²Department of Neurosurgery, Kerman Hospital of Shahid Bahonar, Kerman, Iran.

³Neuroscience Research Center, Institute of Neuropharmacology, Kerman University of Medical Sciences, Kerman, Iran.

⁴Endocrinology and Metabolism Research Center, Institute of Basic and Clinical Physiology Sciences, Kerman University of Medical Sciences, Kerman, Iran.

⁵Department of Social Medicine, Medical School of Afzalipour, Kerman University of Medical Sciences, Kerman, Iran. ⁶Department of Intensive Care Unit, Kerman Hospital of Shahid Bahonar, Kerman, Iran.

Published: 18 February, 2015

Abstract

The sex hormone progesterone has been shown to improve outcomes in animal models and two early-phase trials involving patients with traumatic brain injury (TBI). The aim of this clinical study was to assess the effect of progesterone on the improvement of neurologic outcome in patients with diffuse and acute TBI. A prospective, randomized, double-blind trial of progesterone was conducted in our teaching hospital. A total of 50 patients with diffuse acute TBI who arrived within 4 hours of injury with a Glasgow Coma Score≤12 were enrolled in the study. In a randomized style, 25 received progesterone (1 mg/kg per 12 h for 5 days) and 25 did not. The primary efficacy endpoint was the Glasgow Outcome Scale score 3 months after brain injury. Secondary efficacy endpoint included the mortality. The demographic characteristics and the mechanism of injury were similar for the two groups. After 3 months of treatment, the Glasgow Outcome Scale score analysis exhibited more favorable outcome among the patients who were given progesterone compared with the control individuals (*P*=0.05). The mortality rate of the control group was 20.8%, whereas any of patients in progesterone group did not die. Instances of complications and adverse events associated with the administration of progesterone were not found in any of patients. Our data suggest that the administration of progesterone can considered as a promising neuroprotective drug.

Keywords: Traumatic Brain Injury, Progesterone, Glasgow Outcome Scale.

*Corresponding Author: Mohammad Khaksari

E-mail: mkhaksari@kmu.ac.ir

Р7