

The First International Talent Management Congress

Shefa Neuroscience Research Center, Tehran, Iran, 15-17 December, 2015

The Neuroscience Journal of Shefaye Khatam

Volume 3, No. 3, Suppl. 2

Poster Presentation

The Role of Ionotropic Glutamate Receptors in the Induction of LTP

Ali Jahanbazi Jahan-Abad*, Hassan Hosseini Ravandi

Shefa Neuroscience Research Center, Khatam Alanbia Hospital Tehran, Iran

Published: 15 December, 2015

Abstract

Long-term potentiation (LTP) is a reflection of synaptic plasticity that has an important role in learning and memory. LTP is a long-lasting increase of synaptic activity due to enhancement of excitatory synaptic transmission after a high-frequency train of electrical stimulation. The role of α -amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid (AMPA) receptors in excitatory synaptic transmission and LTP formation uncovered over recent decades. The activity regulation of AMPA receptors (AMPARs) has a significant role in the LTP induction. AMPARs are homomeric or heteromeric receptors combined of four subunits GLUA1 to GLUA4. GluR1 have a critical role in LTP formation in the CA1 region of hippocampus and is necessitated for synaptic delivery of AMPA receptors.

Keywords: Long-Term Potentiation, Learning and Memory, AMPA Rreceptors.

*Corresponding Author: Ali Jahanbazi Jahan-Abad

E-mail: a.jahanbazi65@yahoo.com